

<u>GENERAL CATALOGUE</u>



22.5° AUTO

3 AIC (ST OFF



Spring / Summer

1. 00



The 2nd generation Alpine Halo series is here

The Alpine Halo9 has become one of the world's most popular Head Units and won many industry awards for its outstanding concept and design. We continued to improve upon this successful product and made it even better. The 2nd generation lineup includes the new Alpine Halo11, featuring a gigantic XXL 11-inch screen. Both versions use a high-res WXGA display, Wireless Apple CarPlay, two USB ports, further improved sound quality and tuning options, as well as many more innovations and improvements.

11" ALPINE Halo11 iLX-F115D







ALPINE Halo11 / Halo9

11" iLX-F115D DIGITAL MEDIA STATION flac dab+ iPhone | iPod Classed MX MA AVPREDUE DESCRIPTION • 11" (28cm) WXGA Touch-Screen • 6-Channel Digital Time Correction Vehicle Data-Bus Interface Ready Works with Apple CarPlay (wireless) 56-band Parametric FQ Steering Wheel Remote Control Ready Works with Android Auto (wired) Digital X-over · Remote Control Ready Built-in DAB+ Tuner Bluetooth® Hands-Free Operation · Display angle adjustable after installation • 4 x 50W Class-D High-Power Amp Bluetooth Audio Streaming Compatible with RUE-BK01 Volume Controller • FLAC / MP3 / WMA / AAC / WAV / APE HDMI input / output • 2 Direct Camera Inputs Playback 3 PreOuts (4 Volts) · GPS / Glonass Antenna Included Hi-Res Audio Playback (up to 96KHz / 2x USB Ports (1 charging port, 1 data port) Security Code 1.536 kbps) 1 A/V AUX Input Bass Engine Pro + SQ MediaXpander

iLX-F905D digital media station

Product features and specs are identical to iLX-F115D, but includes a 9" (23cm) WXGA Touch-Screen.

Wireless Apple CarPlay

Both the iLX-F115D and the iLX-F905D are wirelessly compatible with Apple CarPlay and let iPhone users access their

music, navigation and communication apps. Due to the WiFi connection, you can keep your iPhone in your pocket (except for charging).

2x USB Ports

2XUSB

Class-D

Works with Apple CarPlay

2 USB ports located on the back of both units allow you for example to connect one mobile device for charging, while the other USB port is used to plug in a USB stick or hard drive to access audio and video files.

Enjoy Excellent Sound Quality

The 2nd generation Alpine Halo models are the

world's first aftermarket Head Units featuring a built-in Class-D amplifier for excellent sound quality. They can also playback Hi-Res Audio files up to 96kHz / 1.536 kbps from USB sources and include many professional sound tuning options.



9"

11-inch XXL display: the gigantic WXGA touch-screen display features a resolution of 1280 x 720p and includes over 2.7 million pixel elements - making icons, menus and visual content extremely crisp and vibrant in your dash.

User-adjustable Display

With five vertical adjustments, free angle selection, and two separate depths, you can position the floating display in the most optimal position. The user now can freely adjust the display angle also after installation, to achieve best visibility.



* I K ______ ___ 9 I

WXGA 1280 x 7200

Drive-Assist Cameras & Vehicle Connection

2 direct camera inputs allow the connection of Alpine front and rear camera systems. Alpine also offers many vehicle data-bus interfaces to connect your Alpine Halo system to your vehicle's data-bus. This enables usage of your vehicle's steering wheel control buttons, display of air conditioning settings as well parking sensor display.

Recommended Accessories



WIRELESS VOLUME CONTROLLER Can be attached to the left or right side of your Alpine Halo11 or Halo9 display for easy access. This controller can not be used when wireless Apple CarPlav is in use.



KAF-HF11DA Display Protection Foil for iLX-F115D

KAE-HF9DA Display Protection Foil for

iLX-F905D







ALPINE Halog Navi



Built-in Navigation with TomTom Maps

The built-in iGo Primo nextgen navigation system uses TomTom maps and comes with pre-installed maps for 46 European countries. Select from hundreds of thousands

of POIs to find anything you are looking for. You can frequently update your TomTom maps database free-of-charge for the first 3 years, then you can purchase map update packages at a very reasonable price.

1DIN Chassis - 9" Screen

The INE-F904D features a 1DIN

chassis, making it immediately

compatible with any vehicle with either

1DIN or 2DIN radio dock. The touch-

screen is attached to the front of

the media box with steel brackets to

achieve a rock solid display.



Ŧ MAPS

тоттот

Works with Apple CarPlav and Android Auto Simply connect your smartphone to the USB port Works with Apple CarPlay

iGo Primo Nextgen Navigation

of your Alpine Halo9 Navi and launch Apple CarPlay or Android Auto to communicate, navigate and

stay entertained with your favourite smartphone apps. Use Apple maps, Google maps, Waze, Spotify, Amazon Music, Google Play Music, What's app and many other popular apps right on your 9-inch touch-screen.



Vehicle Data-Bus Interface

Drive-Assist Cameras & Vehicle Connection

1 camera input allows the connection of an Alpine front or rear camera systems. With the KCX-250MC you can even connect up to 3 cameras to the Head Unit. Alpine

also offers many vehicle data-bus interfaces to connect your Alpine Halo system to your vehicle's data-bus. This enables usage of your vehicle's steering wheel control buttons, display of air conditioning settings as well parking sensor display.

9-inch Premium Navigation System

2-Way Digital X-over

The INE-F904D is an Advanced Navi Station with a 9-inch WVGA touch-screen, DAB+. drive-less design (no CD/DVD slot) and features iGo primo nextgen navigation with preinstalled TomTom maps for 46 countries.



INE-F904DC ADVANCED NAVI STATION

BORD Product features and specs are identical to INE-F904D, but include motorhome software & profiles and park4night & Boardatlas databases.

park4night Inside

This navigation system comes pre-installed with park4night camper software. The extensive database offers over

120.000 camping sites across Europe and works fully offline. You can search for your next camping site by category, country or region - along your route or at a final destination.

MediaXpander



Pre-installed Motorhome Profiles

You can choose between 3 different motorhome profiles (small, medium or large motorhome) or create your own

profile. The Alpine system will take the measures and weight of your vehicle into account and propose only routes suitable for your vehicle.



park4nig





8-inch/7-inch Premium Navigation Systems



The X803D-U and INE-W720D feature a built-in iGO Primo Nextgen navigation system

with pre-installed TomTom maps. Thanks to Apple CarPlay and Android Auto, you also have the alternative of online navigation and can use Waze, Google Maps, Apple Maps

Upgrade your vehicle with an 8-inch or 7-inch premium navigation system from Alpine. We offer many car-specific installation kits for both sizes to ensure a perfect fit and integration in your car.

X803D-U ADVAN				ne liPod (8" MX ::::::::::::::::::::::::::::::::::::
Works with Apple CarPlay (wired) Works with Android Auto (wired) Built-in DAB+ Tuner	GPS / Glonass antenna included IGo Primo Nextgen Navigation TomTom maps for 46 countries 3 Years free of charge update FLAC / MP3 / WMA / AAC Playback	Bass Engine Pro + SQ 6-Channel Digital Time Correction 9-band Parametric EQ 2-Way Digital X-over Bluetooth® Hands-Free Operation	Bluetooth® Audio Streaming HDMI input / output AV AUX Input 3 PreOuts (4 Volts) USB Port	MediaXpander Vehicle Data-Bus Interface Ready Steering Wheel Remote Control Ready Remote Control Ready	1 Camera Input Security Code

X803DC-U ADVANCED NAVI STATION

Park4night Received and specs are identical to X803D-U, but include motorhome software & profiles and park4night & Boardatlas databases.

8-inch Screen with 1 DIN chassis

Many vehicles feature dashboard space for a 7-inch or 8-inch screen, however behind the screen there is no space to fit a full 2DIN product. Alpine designed the X803D-U to overcome this problem by putting a 1DIN chassis in the back of an 8-inch screen.

Use the latest smartphone apps with Apple CarPlay and Android Auto.





- Structure: Foil Type, self-adhesive
- Frequency Ranges: band-III/L: 170-240MHz / 1452-1495MHz
- Supply: 5 12V (30mA), receiver (phantom) supplied
- Impedance: 50Ω
- Connection: 3.5m low-loss cable with angled SMB(f) plug
 Dimensional 40 x 170mm
- Dimensions: 40 x 170mm



Product features and specs are identical to INE-720D, but include motorhome software & profiles and park4night & Boardatlas databases.



and other popular navigation apps.

Built-In Navigation and Online Navigation

iGO Primo Nextgen with TomTom Maps



DVE-5300 EXTERNAL DVD PLAYER





Navigation by Apple CarPlay (Waze)



DAB ANTENNA

- Structure: Bar Type, self-adhesive
- Frequency Ranges: band-III/L: 170-240MHz / 1452-1495MHz
 Supply: 5-12V (25mA), receiver (phantom) supplied
- Supply: 5-12V (25mA), receiver (phantom
 Impedance: 50Ω
- Connection: 5m low-loss cable with angled SMB(f) plug
 - Dimensions: 13 x 183mm

5

8"

Next-generation 2DIN Digital Media Station



The iLX-705D is the successor of the highly popular, award winning iLX-702D Digital Media Station. This new generation includes many improvements, such as much higher screen resolution, wireless Apple CarPlay, 2 USB ports, as well as a built-in Class-D amplifier and Hi-Res Audio capabilities.



7-inch WXGA HD Touch-Screen

1280 x 720p The brand new WXGA display features a resolution of 1280 x 720p and includes over 2.7 million pixels on just 7 inches, giving it an amazing pixel density. This makes menus, movies, Apple CarPlay and Android Auto navigation maps and all other visuals extremely crisp and vibrant.

Drive-Assist Cameras & Vehicle Connection

2 camera inputs allow the connection of Alpine front and rear camera systems. Alpine also offers many vehicle data-bus interfaces to connect your iLX-705D system to your vehicle's data-bus. This enables usage of your vehicle's steering wheel control buttons, display of air conditioning settings as well parking sensor display.

Enjoy Excellent Sound Quality

The iLX705D is next to the new Alpine Halo Series

the world's first after-market Head Unit featuring a built-in Class-D amplifier for excellent sound quality. It can also playback Hi-Res Audio files up to 96kHz / 1.536 kbps from USB sources and include many professional sound tuning options.



FLAC/MP3/WMA/AAC/WAV/APE Playback
 Digital X-over

port)

· Security Code · Display angle adjustable after installation

Wireless Apple CarPlay



androidauto

No cables required: wireless Apple CarPlay and lets iPhone users access their music, navigation and communication apps while driving. The iLX-705D communicates via WiFi with your iPhone, you can keep your phone in your pocket (except for charging).



Works with Android Auto

Plug-in your Android smartphone and access your favourite apps right on your Alpine screen. Listen to music via Amazon Music, Spotify or Google Play Music - or navigate using Waze, Google Maps or Sygic, just to name a few. There are hundreds of apps ready to be used on your Alpine with Android Auto.

Alternative Product Version



Munich Internationa Airport * 01 00

iLX-705DM digital media station

The iLX-705DM includes the same features as the iLX-705D, however the 1DIN chassis is attached to the upper side of the 7" display. This is required for specific vehicles, such as the Seat Leon 3 (5F) or other vehicles with limited space in the dashboard.

Class-D

WXGA

6.5-inch Navigation with Smartphone Connectivity



The INE-W611D is an amazing all-in-one solution with built-in iGo Primo nextgen navigation using TomTom maps, as well as a CD/DVD drive. The 6.5-inch touch-screen displays navigation maps, menus and movies clear and crisp and you can enjoy DAB+ digital radio, Apple CarPlay and Android Auto compatibility.

INE-W611D ADVANCED NAVI STATION 6.5"					
Capple Carplay androidauto Spotify 🔐 🔡 🐨 HƏMI 🖇 🚮 📰 🚛 🕬					
 2x USB port 6.5" (16,5 cm) WVGA Touch- Screen DVD±R/±RW/DivX Playback Works with Apple CarPlay 	Works with Android Auto FLAC Playback (24/96 and 24/192 Compatible) 4 x 45W Power Amp Built-in DAB+ Tuner	WMA/MP3/AAC Playback USB Video Playback (MP4, h246, MKV, AVI) DivX Playback 3 PreOuts (4 Volts)	 9-band Parametric EQ 6-Channel Digital Time Correction Crossover iGO Primo Nextgen Navigation TomTom Maps for 46 countries 	HDMI Input Built-in Bluetooth® Module 2x Camera Input Steering Wheel Remote Control Ready	1x Rear A/V Input Anti-theft Security Code y

INE-W611DC ADVANCED NAVI STATION

Product features and specs are identical to INE-W611D, but includes trucking software

Built-in Navigation

MAPS The built-in iGo Primo nextgen navigation system uses TomTom maps and comes with pre-installed maps for 48 European countries. Select from thousands of POIs to find gas stations, restaurants, sightseeing spots and much more. Important buildings are shown as 3D icons to draw your awareness, while lane guidance informs you in which lane to drive to not miss any exit.

Dual USB Port

2xUSB

тоттот

2x USB ports are built-in for more flexibility. You can for example charge your phone on USB port 1, while connecting a USB stick or hard-drive on port 2 to listen to MP3, FLAC, WMA or AAC audio files or view video files in MP4, h246, MKV and AVI files. The USB ports support up to 1.5 Ampere for quick charging speed and external HDD power support.

Apple CarPlay / Android Auto Compatibility

If your smartphone is compatible with either Apple CarPlay or Android Auto, you can connect it via USB cable to your Alpine unit and use authorized apps on the 6.5" touch-screen. Both platforms offer a continuously growing variety of navigation apps, music apps, internet radio players and communication apps to choose from, to make your car rides more enjoyable.



Built-in DVD / CD Drive

Enjoy movies or TV shows from DVD while your vehicle VIDEO is standing still or listen to music from CDs. The INE-W611D is also compatible with DVD-R /-RW and can playback DivX files.

Rear Seat Entertainment



PKG-RSE3HDMI 10.2" 10.2" WSVGA OVERHEAD MONITOR WITH DVD PLAYER

HOMI[®] USB MP3

- 10.2" WSVGA High-Definition 1 A/V Output Includes 2 Wireless
- Flip-Down • 2 HDMI Inputs,1 USBPort,1 Headphones and Wireless AV Input Remote Control
- DVD-R/-RW Compatible Includes Console Shroud AVI, MPEG, MP4, RMVB, MP3, Covers in three Colours (Black,
- WMA, AAC, Xvid and JPEG Grey, Gold) Playback





6.5"

SHS-N207 DUAL SOURCE WIRELESS HEADPHONES Dual source fold-flat wireless headphones.

SHS-N107

SINGLE SOURCE WIRELESS HEADPHONES Single channel wireless headphones for use with PKG-RSE3HDMI

7

7-Inch Digital Media Stations With Power Stacking



The highly affordable Alpine iLX-W690D Digital Media Receiver features a 7-inch WVGA touchscreen, which works perfectly with smartphone connectivity features like Apple CarPlay and Android Auto. It features a very shallow installation depth of only 6 cm, which allows installation even in vehicles without full DIN-sized installation docks. You can further upgrade your iLX-W690D with a PowerStack amplifier to increase your sound output.



Morks with Apple CarPlay android Cuto

Apple CarPlay / Android Auto

The iLX-W690D and iLX-W650BT are Apple CarPlay and Android Auto compatible and lets smartphone users enjoy their favourite smartphone apps on the road - at a very affordable price point.



Low Installation Depthh

The chassis is only 6 cm deep, allowing it to be installed even in vehicles with 2DIN radio dock without full DIN size depth. This makes this unit very versatile and easily upgradeable with the KTA-450 or KTA-200M power pack.



Power Stacking

Give your iLX-W690D/ -W650BT a power boost with an Alpine Power Pack amplifier - chose from a 4x 50W or 1x 200W Mono amp to be stacked on the back of the Head Unit.



Choose Your Amplifier

Alpine offers a 4-channel and a mono amplifier to be power-stacked on the back of your unit. Go for more speaker power or add a subwoofer - the choice is yours.



KTA-450

4/2 CH POWER AMPLIFIER

4x 50 Watts RMS
4x 100W DPP Burst Power
High-Pass Filter
Power stacking with iLX-W690D / iLX-W650BT

KTA-200M

1x 200 Watts RMS
1x 400W DPP Burst Power
Low-Pass Filter + RUX-KN0B2 support
Power stacking with iLX-W690D / iLX-W650BT

Non-RDS / DAB version is not available in all European countries.





Note: this unit is not available in all European countries. Please ask your local Alpine dealer for availability information.





Freestyle by Alpine: Customise Your Dash

Many classic or newer vehicles do not include regular radio installation docks and are therefore difficult to upgrade. Freestyle for Alpine gives you all components you need, to create your own custom media system in virtually any vehicle. The main components are the 9" or 7" touch-screen, the hide-away blackbox and the 2 key brackets that can be installed individually.

- **9**" 1905D-F 9-INCH FREESTYLE MEDIA STATION Thomasangfina 9" (23cm) WXGA Touch-Screen
- External black-box and control buttons for
- freestyle installation
- · Works with Apple CarPlay (wireless)
- Works with Android Auto (wired)
- Built-in DAB+ Tuner
- 4 x 50W Class-D High-Power Amp
- FLAC / MP3 / WMA / AAC Playback Hi-Res Audio Playback (up to 96KHz / 1.536 khns)
- Bass Engine Pro + SQ

Freestyle Example 2: Range Rover

6-Channel Digital Time Correction

- 56-band Parametric EQ
- Digital X-Over
- Bluetooth® HFO + Streaming
- · 3 PreOuts (4 Volts)
- 2x USB Ports (1 charging port, 1 data port) MediaXpander
- Vehicle Data-Bus Interface Ready
- · Steering Wheel Remote Control Ready
- Cable length black-box monitor: 40cm Compatible with RUE-BK01 Volume Controller
- 2 Camera Inputs
- GPS / Glonass Antenna Included

- 7" (18cm) WVGA Touch-Screen
 - · External black-box and control buttons for freestyle installation
 - Works with Apple CarPlay (wired) Works with Android Auto (wired)

X703D-F 7-INCH FREESTYLE NAVI STATION

C Apple CarPlay android auto 🕞 Spotify 🔛

AVPREDUL DASSAUCTOR

- Built-in DAB+ Tuner
- 4 x 50W High-Power Amp
- · GPS / Glonass antenna included
- iGo Primo Nextgen Navigation
- TomTom maps for 46 countries
- 3 Years free of charge update
 - FLAC / MP3 / WMA / AAC Playback

Bass Engine Pro + SQ

6-Channel Digital Time Correction

USB

7"

3 FREE

flac MX

- 9-band Parametric FQ 2-Way Digital X-over
- Bluetooth® HFO + Streaming
- 3 PreOuts (4 Volts)
- USB Port
- MediaXpander

Parametr

- Vehicle Data-Bus Interface Ready
- Steering Wheel Remote Control Ready
- · Remote Control Ready
- 1 Camera Input

Adjustable Illumination

You can easily adjust the illumination colour of the control buttons to 6 different colours to match the Freestyle system to your dashboard illumination.



Freestyle Example 1: Fiat 500 Abarth

brackets to support your custom install.

You can choose between a 9" media system that features the

same system platform than the new Alpine Halo11 (wireless

Apple CarPlay, 2x USB, etc) or a 7" navi system, that features

built-in iGo Primo nextgen navigation. For both systems we

included a frame for the Golf 6, to cut-out the plastic button


System Selections





Interchangeable Kevs The 2 key panels can be installed horizontally

or vertically, depending on the installation position. The key positions can also be assigned individually due to the interchangeable buttons.





HENJ 🚯 144 941 🤳 🗍 🕂 🕂 — 🔊 🕊

ALPINE STYLE





For Volkswagen Golf 7

Upgrade your Volkswagen Golf 7 with this amazing 9" Head Unit. The built in iGo primo nextgen navigation system with TomTom maps for 46 countries allows for precise on-board navigation. Enjoy DAB+ digital radio, Apple CarPlay, Android Auto, Bluetooth streaming and hands-free operation. The system is fully connected to your vehicle's electronics system to make all car adjustments and display parking sensors, camera and other features.

X903D-G7 Premium Navigation System		
Apple CarPlay		
Compatible	Golf 7 / GTI / GTD / R (AU) model year 2012 - 2016	
Not compatible	Golf 7 GTE / eGolf / Sportsvan	



For Volkswagen Golf 6

Turn your Golf 6 dashboard into a cinematic experience with this perfectly integrated 9-inch display and bring Apple Car-Play, Android Auto and DAB+ digital radio to your ride. The system includes an iGo Primo nextgen navigation system with 3 years free-of-charge map updates and is fully connected with your Golf 6's electronic system.



You Tube

9"

 Compatible
 Golf 6 / GTI / GTD / R (A5) Limousine 2008-2012, Variant 2009 - 2013, Cabriolet 2011-2016

 Not compatible
 Cross Golf / Golf Plus

ALPINE STYLE



Upgrade your Skoda Octavia 3 with this amazing 9" Head Unit. The built in iGo primo nextgen navigation system with TomTom maps for 46 countries allows for precise on-board navigation. Enjoy DAB+ digital radio, Apple CarPlay, Android Auto, Bluetooth streaming and hands-free operation. The system is fully connected to your vehicle's electronics system to make all car adjustments and display parking sensors, camera and other features.

X903D-	OC3 Premium Navigation System	9"
Works with Apple CarPlay	ndroidauto 📷 Phone IPod) 😂 Spotify 🔛 🔟 3	
Compatible	Octavia 3 / RS (5E) model year 2012 and newer	
Not compatible	Vehicles with E-Call system	

For BMW E46





13:30

۲

215.072 MHz CH 10D ++

ROCK ANTEN

DAB

Bayern

Rock Musik

For Volkswagen Polo







Compatible Polo 5 / GTI (6C) model year 2014 - 2017

Not Vehicles with sound system Beats / edition model compatible 'Sound'

ALPINE STYLE



IIII/ALPINE



For Audi Q5

The X703D-Q5 gives Audi Q5 owners access to a wide media compatibility, cutting-edge navigation technology and 7-inch high-res touch-screen operation. All system components are designed to fit perfectly in existing installation locations and integrate with the vehicle's electronic systems.

Premium Navigation System Premium Navigation Sy	
Compatible Q5 / SQ5 (8R) model year 2009 - 2016	Compatible Q5 / SQ5 (8R) model year 2009 - 2016
Not compatible • RHD version not available	

For Audi A4/A5

If you own an A4 or A5 without original navigation system then this is the perfect upgrade for your car. Add iGO Primo Nextgen navigation, Apple CarPlay and Android Auto compatibility, Bluetooth[®], DAB+ digital radio, USB video, a 7-inch high-res touch-screen and more to your Audi.



l	X703[Premium Na	D-A4 7"
ı.	tiPhone iPod	
	Spotify [.]	
_	Compatible	A4 / S4 / RS4 (8K), A5 / S5 / RS5 (8T) and A5 cabriolet (8F) LHD model year 2007 - 2015 • RHD version available as well
	Not compatible	Vehicles with MMI navigation and navigation plus

ALPINE MOTORHOME



For Volkswagen T6

Upgrade your Volkswagen T6 with an Alpine Halo system for maximum visibility and connectivity in a cutting-edge design. You can choose between the Alpine Halo11, Halo9 or Halo9 Navi depending on your needs and preference (please see pages 3-5 of this catalog for model information). For installation you will require several additional parts that are listed below. Please also note the compatibility information for the Volkswagen T6.

Step 1 Choose your Head Unit	Step 2 Required installation parts
11" iLX-F115D Digital Media Station	APF-F281320-30-1VW VW T6 Installation Bracket
9" iLX-F905D Digital Media Station	 APF-X300VW CAN Interface and Wiring Harness
9" INE-F904D / DC Advanced Navi Station	1524-70 Antenna Adapter

Volkswagen T5.1 7 T5 Facelift (7 H/E/J) model year 09/2009 - 06/2015 Compatible Volkswagen T6 (7 H/E/J) model year 07/2016 ->

For Volkswagen T6 / T5

This 8" system is perfect for customers that want a flush-mount navigation screen instead of a Halo type. Please see page 5 for detailed information on the X803D-U.

For Volkswagen T6.1

You can upgrade your Volkswagen T6.1 with an Alpine Halo system (same Head Unit selection than for T6 shown above). But please note that different installation parts are required.





8"



Step 1	Choose your Head Unit	
11" iLX-F1	15D Digital Media Station	
9" iLX-F9	005D Digital Media Station	
9" INE-F	904D / DC Advanced Navi Station	
Step 2 Required installation parts		
KIT-F9VW-T61 T6.1 Installation Kit APF-X320MIB CAN Interface and Wiring Harness 1524-70 Antenna Adapter		
Compatible	Volkswagen T6.1 (7 H/J) model year 2019 ->	
Not compatible	Note: Vehicles with digital gauges may show warning messages. Vehicles with e-call system will require an additional 3rd party interface to keep e-call functional.	

ALPINE MOTORHOME





For Fiat Ducato 8

The new Fiat Ducato 8 version has arrived and features an all new dashboard design and electronic systems. Alpine already offers amazing media & navigation systems, as well as installation kits for this new vehicle. If you like to go for a Halo system, you can choose from 3 different versions as shown below.

Step 1 Choose your Head Unit		Step 2 Required installation kit: KIT-F9FI-DU8
11" iLX-F115D Digital Media Station		 Includes all required installation parts for the Fiat Ducato 8, such as the installation bracket, wiring harness, CAN interface, DAB antenna adapter, camera adapter and more.
9" iLX-F905D Digital Media Station		 If your Ducato is equipped with an original Qi phone charger, please use additionally KWE-Qi-DU8 to retain this function
9" INE-F904D / DC Advanced Navi Station		You can use "Pre-Flight Check" and adjust some CAN Inter- face settings with this KIT
Compatible Fiat Ducato 8 Model year 2022 -> for vehicle	s with radio r	preparation or "open dash" configuration (no radio)

Our most-sold motorhome navigation system - the X903 Ducato version - is now also available for the Fiat Ducato 8. It comes with all required installation parts and includes Alpine's motorhome navigation software package, including park4night database, motorhome profiles and other useful features.





If you don't like a tablet style monitor system or look for a more affordable navigation alternative, the INE-W611DC may be for you. It features a 6.5" touch-screen and includes all key functions like DAB radio, Apple CarPlay, Android Auto and many more.



For Fiat Ducato 3 / Citroën Jumper 2 / Peugeot Boxer 2

ALPINE MOTORHOME



X903D-DU2 Premium Navigation System

Compatible Fiat Ducato III (250) 06/2006 and newer • Fiat Ducato III Facelift (250) 2011-2014 • Fiat Ducato III (290) 2014 and newer • Citroën Jumper II (250) 06/2006 and newer • Peugeot Boxer II (250) 06/2006 and newer

9"

9"

* Motorhomes with 1-DIN radio or radio preparation. Cable harness with ISO/MiniISO connectors required.



X903[D-DU Premium Navigation System	9
Morks with Apple CarPlay	, androidauto Spotify 🔡 🎇 🏽 🤹 🚛 🚮 👫 😯	
Compatible	Fiat Ducato III (250) 06/2006 and newer • Fiat Ducato III Facelift (250) 2011-2014 • Fiat Ducato III (290) 2014 a • Citroën Jumper II (250) 06/2006 and newer • Peugeot Boxer II (250) 06/2006 and newer	ind newer

* Motorhomes with 1-DIN radio or radio preparation. Cable harness with ISO/MiniISO connectors required.





Compatible Fiat Ducato III (250) 06/2006 and newer • Fiat Ducato III Facelift (250) 2011-2014 • Fiat Ducato III (290) 2014 and newer • Citroën Jumper II (250) 06/2006 and newer • Peugeot Boxer II (250) 06/2006 and newer

* Motorhomes with 1-DIN radio or radio preparation. Cable harness with ISO/MinilSO connectors required.





Compatible Fiat Ducato III (250) 06/2006 and newer • Fiat Ducato III Facelift (250) 2011-2014 • Fiat Ducato III (290) 2014 and newer • Citroën Jumper II (250) 06/2006 and newer • Peugeot Boxer II (250) 06/2006 and newer

* Motorhomes with 1-DIN radio or radio preparation. Cable harness with ISO/MinilSO connectors required.

ALPINE MOTORHOME





For Mercedes-Benz Vito (447)

Upgrade your Mercedes-Benz Vito (447) with this cutting-edge navigation and infotainment system. The X903D-V447 offers an amazing 9-inch high-resolution touch-screen with DAB+ digital radio, Apple CarPlay and Android Auto compatibility, as well as iGO navigation system with 46 countries and 3-years free of charge map updates. The Alpine Head Unit fully connects to the Vitos electronics system, so you can continue to use your steering wheel control buttons and the small information display in the instrument cluster.

9"

X903D-V447 Premium Navigation System 💽 North With Apple CarPlay android auto 📚 Spotify 🔛 🦉 3 Free 🐻 🕉 Hami

Compatible Mercedes-Benz Vito 447 model year 2014 and newer

9"

For lveco Daily 6 / Daily 7

The X903D-ID perfectly matches the lveco Daily interior design. Its high-resolution 9-inch display is easily reachable from both front seats. Navigation maps, menus and other content are highly visible even in direct sunlight. Next to map data for 46 countries this systems comes with Alpine's motorhome software, including park4night and BordAtlas databases.



For Mercedes-Benz Sprinter (906)

The gigantic 9-inch high-resolution touch-screen of the X903D-S906 will amaze you with superb picture quality for navigation maps, menus and video content. Best of all: the installation allows the lower pocket in your dash to remain free. Alpine offers an optional DVD player or even a Qi-standard wireless charging console for your smartphone to be installed in this space



ALPINE MOTORHOME





For Volkswagen T5

Compatible Head Units		Installation Kit
iLX-F115D	Digital Media Station	
iLX-F905D	Digital Media Station	ACV 281320-30-1 (for countries outside the UK)
INE-F904D / DC	Advanced Navi Station	

Compatible Vehicles		
	Compatible:	VW T5 with rounded corners of the original radio
	Not compatible:	VW T5 with sharp corners of the original radio

For Volkswagen Crafter (from 2018)

Compatible Head Units		Installation Kits	Compatible Vehicles	
iLX-F115D Digital Media Station		For vehicles with radio preparatio	Compatible:	
iLX-F905D	Digital Media Station			VW Crafter model year
INE-F904D / DC	Advanced Navi Station	For vehicles with original radio:	KIT-F9VW-CRA + APF-X320MIB	2018 and newer



For Mercedes-Benz Sprinter (907)

Compatible Head Units		Installation Kit	Compatible V	ehicles
iLX-F115D	Digital Media Station		Compatible:	Sprinter 907 with original radio or radio preparation
iLX-F905D	Digital Media Station	KIT-F9MB-S907		
INE-F904D / DC	Advanced Navi Station		Not compatible:	Sprinter 907 with original M-BUX system



For Ford Transit Custom (from 2018)

Compatible He	Installation Ki	
iLX-F115D	Digital Media Station	
iLX-F905D	Digital Media Station	KIT-F9FO-TRA
INE-F904D / DC	Advanced Navi Station	

ion Kit	Compatible Vehicl
---------	-------------------

Compatible: Ford Transit MY 2018 and newer with Custom with original 1DIN radio

Not compatible: Ford Transit Custom MY 2018 and newer with original navigation system



High Dynamic Range Cameras for Greater Safety

B

Alpine's HDR cameras are simply amazing and offer many new technologies that make manoeuvring your vehicle easier and safer.

- High-resolution camera for great picture guality and high details
- Amazing night-view capabilities in low-light environments
- Fast exposure adjustment when moving from dark to bright environments (for example underground parking, tunnels, etc)
- New, small connectors for easy installation of camera and cables





Intelligent front cameras contribute greatly to driving safety: when set to Corner Mode, you are able to see around corners when driving out of narrow alleys or similar into busy streets.



Panorama View









operation including 4 viewing modes.




• 4 viewing modes • High-res camera • Ultra-wide angle camera • Viewing Angle H180°; V125° • Mirrored image

HCF-C2100RD MULTI-VIEW REAR CAMERA

Panorama View

Corner View







HCE-CS1100 SIDE VIEW CAMERA

• For side installation of your vehicle • High-res camera • Ultra-wide angle camera • Viewing Angle H82,7°; V60,5° • Non-mirrored image



HCE-C1100 REAR VIEW CAMERA (RCA) Distance guides
 High-res camera
 Ultra-wide angle camera
 Viewing Angle H131°: V103° • Mirrored image



HCE-C1100D REAR VIEW CAMERA (DIRECT) Distance guides • High-res camera • Ultra-wide angle camera • Viewing Angle H131°; V103° • Mirrored image



KCX-C250MC KCX-C2600B MULTI CAMERA MULTI CAMERA INTERFACE SWITCH BOX · Connects up to 3 cameras · Works

touch-screen

· Allows connection and control of with Alpine Direct Cameras . Touch a front and rear multi-view camera control of all camera views from the



KWE-EX5CAM 5 METER CAMERA EXTENSION CABLE

KWE-EX20CAM 20 METER CAMERA CONNECTION CABLE





KIT-R1MHU UNIVERSAL MOTORHOME CAMERA HOUSING · Compatible with Alpine HCE-C2100RD · Adjustable camera dome with swivel function • Waterproof seals





KIT-R1DUC REAR CAMERA INSTALLATION KIT FOR FIAT DUCATO 3

· Compatible with Fiat Ducato 3, Citroën Jumper, Peugeot Boxer • Allows clean installation of Alpine HDR rear camera · Re-uses original 3rd brake-light



This multi-view HDR rear camera system provides parking safety with cutting-edge camera technology and full touch-screen





Alpine Advanced Dash Cams

A dash cam is an on-board camera that continuously records the view through the vehicle's front windshield. The recorded footage can be used as evidence in the event of a road accident. When parked, dash cams can capture video and picture evidence if vandalism is detected. Alpine offers a high-end dash cam that includes drive assist functions, as well as a regular recording model. There are optional rear accessory cameras available for both models.



DVR-F800PRO

1080p Full HD recording
 Sony Exmore image sensor
 Excellent night image quality
 Driver support features
 Built-in GPS
 Includes
 32GB micro SD card



RVC-R800 REAR ADD-ON CAMERA FOR DVR-F800PRO • Compatible with DVR-F800PR0 • For rear surveillance while driving and in parking mode



DVR-C320S

 1080p Full HD recording
 CMOS image sensor
 Excellent night image quality
 Driver support features
 Built-in GPS
 Includes 32GB micro SD card



REAR ADD-ON CAMERA FOR DVR-C320S

• Compatible with DVR-C320S • For rear surveillance while driving and in parking mode





ADVANCED DRIVE-ASSIST DASH CAM

1080p Full HD recording
 CMOS image sensor
 Excellent night
 image quality
 Driver support features
 Built-in GPS
 Includes 16GB
 micro SD card



RVC-C310 REAR ADD-ON CAMERA FOR DVR-C310S • Compatible with DVR-C310S • For rear surveillance while driving and in parking mode



	PS
DVR-F200	
DVANCED DASH CAM	

•1080p Full HD recording
 • CMOS image sensor
 • Excellent night image quality
 • GPS antenna included
 • Includes 16GB micro SD card



RVC-R200 REAR ADD-ON CAMERA FOR DVR-F200

Compatible with DVR-F200
 For rear surveillance while driving and in parking mode



RVC-12001R NIGHT VISION CABIN CAMERA

FOR DVR-F200 • Compatible with DVR-F200 • For surveillance of

 Compatible with DVR-F200 • For surveillance of interior (for example taxis or motorhomes) or while your car is parked • Infra-red camera lens and 2 IR LEDs

Your Digital Proof

Use your dash-cam recordings in case of an accident or other emergency as proof in a court of law:

- 1080p Full HD Recording
- Amazing Night View
- GPS / Speed / Crash Information
- PC / MAC Computer Software



Connect Your Smartphone

Download the companion app from the Apple App Store or Google Play to check, download or delete recordings via WiFi. You can also see a live view of your dash cam (very convenient when you install and setup your camera) on your Smartphone.





DVM-64SD MICRO SD CARD (64GB) FOR DVR-F800PRO AND DVR-F200

1 DIN Head Units with Superior Sound Features



The Head Units below do not feature DAB capabilities and are therefore not available in Germany, France and Italy.



Featrure Comparison		Tuner	Ready	Remote Control Ready		Parametric EQ	Accessory 2.0	WMA Playback	FLAC Playback	Compatible		CD Drive				RCA Outputs
CDE-205DAB	1000mA	٠	•	•	•	3-Band	•	•	•	•	•	•	RGB	RGB	4 x 50W	3 PreOuts (2 Volts)
UTE-204DAB	1000mA	٠	٠	•	٠	3-Band	٠	٠	•	٠	٠	-	RGB	RGB	4 x 50W	3 PreOuts (2 Volts)
CDE-203BT	1000mA	-	•	•	•	3-Band	•	•	•	•	•	•	RGB	RGB	4 x 50W	2 PreOuts (2 Volts)
CDE-201R	500mA	-	•	•	•	3-Band	•	•	•	-	-	•	Red / Green	White	4 x 50W	2 PreOuts (2 Volts)
UTE-200BT	1000mA	-	•	٠	•	3-Band	•	•	•	•	•	-	RGB	RGB	4 x 50W	2 PreOuts (2 Volts)



Upgrade your Fiat Ducato 3 (X290 or X250) or Ducato-platform motorhome with this amazing 3-stage sound system. For the best sound quality and performance we recommend to combine all 3 systems for a true Concert Ensemble sound experience.



Stage 1 / On-Dash Radial Speaker System



SPC-R100-DU 12cm Radial Speaker System (45W RMS)

You can drastically increase the sound quality by adding full-range, radial speakers on top of your dashboard. The SPC-R100-DU comes with custom-fit brackets for on-dash mounting and do not require any holes to be cut into the dash. The 12cm radial speaker design creates an excellent sound stage in the cabin and strongly improves the vocal sound quality. Especially vocals appear much clearer when listening to news or podcasts. The speakers are compatible with X290 and X250 vehicles and do not interfere with "Remifront" or other windshield blinds.

Stage 2 / Subwoofer System Upgrade



Stage 3 / **Amplifier Upgrade** (for Subwoofer)



SWC-D84S Custom 20cm Subwoofer System

By adding this custom subwoofer system in your Ducato's center console, the bass sound will strongly improve. The subwoofer's sealed enclosure integrates perfectly below the cupholders for a real stealth installation (factory installed cupholders are mandatory). The 250 Watts shallow type subwoofer with dual voice coils gets connected to the rear channel output of your factory or aftermarket radio system. We recommend to use the SWC-D84S together with the SPC-R100-DU and the SWA-150KIT

for the best, concert level sound experience.

SWA-150KIT

2-Channel Amplifier System

You can further improve the bass output and dynamics of your SWC-D84S subwoofer system by adding this 150 Watts 2-channel power amplifier. The amplifier itself can be easily installed in the compartment behind the cup holder. There is also a wired bass remote controller included, that can be installed in the dashboard for quick and easy access to the bass power adjustment. Additionally, we have included a full wiring harness for easy plug-and-play installation with your Head Unit. If you have the VP1 or VP2 original radio, you will additionally require a 52pin /ISO cable adapter.



Adventure Audio for Volkswagen T6.1/T6

Whether you use your Volkswagen T6.1 / T6 as a transporter, family van or camper van a good sound system can turn any drive into a more fun experience. Alpine offers several sound components for these vehicles to achieve your desired audio experience. They are not only a joy to listen to, but also a breeze to install, and their distinctive design will spruce up any cockpit without spoiling the original cabin cosmetics.



Adventure Audio DSP Amplifier / Subwoofer System Stage 2



Designed to be seen and heard

The first thing you will notice about these speakers are the beautifully designed stainless steel tweeter grills in the A-pillars, that replace the original plastic VW grills. We use a cutting-edge chemical photo etching process for highest aesthetics and acoustics performance, to make them look stunning from every angle - yet acoustically optimized and virtually transparent to the sound waves passing through them.



Your Volkswagen never sounded

Volkswagen T6.1 / T6 Adventure Audio Speaker Systems

Vehicle	Model	Туре	Power Handling
Volkswagen T6.1	SPC-106T61	2-Way, 16,5cm Component	60W RMS / 180W max
Volkswagen T6	SPC-106T6	2-Way, 16,5cm Component	60W RMS / 180W max
Volkswagen T6	SPC-108T6	2-Way, 20cm Component	100W RMS / 300W max



Powerful Bass Upgrade

Enjoy strong, powerful bass with the included 180 Watt subwoofer to make all your audio tracks sound even more exciting. The dual-coil subwoofer comes pre-installed in a sealed wooden enclosure, installed under the passenger's seat of your T6.1 or T6. It is also compatible with the rotary seats of the California version, as well as the seating bench of the Caravelle van (installation position for Caravelle with 2-person bench is under the driver's seat).

Volkswagen T6.1 / T6 DSP Amplifier / Subwoofer Systems

Vehicle	Model	Туре	Power Output
Volkswagen T6.1 / T6 with OEM radio	SPC-D84AT6	6-ch DSP amp / 20cm sub	550 W total max
Volkswagen T6.1 / T6 with Alpine radio	SPC-D84AT6-R	6-ch DSP amp / 20cm sub	550 W total max

550W Max DSP Amplifier for excellent sound quality

Upgrade your Alpine Adventure Audio speaker system for Volkswagen T6.1 or T6 to the Concert Ensemble with this 550 Watt 6-Channel DSP amplifier / subwoofer system. This sound upgrade will add lots of power output, dynamic and bass to your existing Alpine speaker system to achieve the ultimate listening experience in your vehicle. The 550 Watt DSP amplifier is pre-programmed to perfectly match the sound characteristics of the T6.1 / T6.





Upgrade your Mercedes-Benz Sprinter 907 / 910 with the new SPC-106S907 high-end component speaker system. This Alpine Adventure Audio system for the MB Sprinter perfectly unites function with form: enjoy audiophile grade sound quality, while the beautiful photo-etched stainless-steel tweeter grills simply look stunning on your dashboard. You can further upgrade your system with a DSP amplifier / subwoofer system.



Stage 2 / Adventure Audio DSP Amplifier / Subwoofer System



Made for Mercedes Sprinter 907 / 910

28 mm audiophile-grade silk dome tweeters with back-chambers produce crisp, clean highs that let you hear every note with stunning clarity and fast dynamics. Our sound engineers also created audio optimized tweeter installation brackets for the dashboard, allowing the tweeters to point right at the listeners in the cabin. These tweeter brackets are fully compatible with the Mercedes windshield blinds.

Dynamic mid-bass experience

The Alpine-designed dynamic mid-range speakers produce a wide frequency range that uncovers the rich details of every audio track – delivering your favorite songs with powerful mid-bass and amazing texture and accuracy. The included steel base rings ensure a rock-solid, vibration free connection to the door frame and perfectly seal the door interior from moisture due to the attached silicone seals.



Mercedes Sprinter 907 / 910 Adventure Audio Speaker Systems

Vehicle	Model	Туре	Power Handling
Mercedes Sprinter 907 / 910	SPC-106S907	2-Way, 16,5cm Component	60W RMS / 180W max

Note: if your MB Sprinter is equipped with the 10" MBUX system, please additionally install the EXA-21CA252 center speaker adapter



More power, more dynamic

The Alpine 550 Watt DSP amplifier ads much more power and dynamic to your entire sound system and additionally drives the included 300 Watt dual-coil subwoofer. The DSP amplifier is pre-programmed to perfectly match the sound characteristics of the Sprinter 907 / 910 cabin, but can be further adjusted for steering wheel configurations (left or right), radio type and other factors. Note that there are 2 different versions available, depending on your radio type.

Mercedes Sprinter 907 / 910 DSP Amplifier / Subwoofer Systems

Vehicle	Model	Туре	Power Output
Mercedes Sprinter 907 / 910 with OEM radio	SPC-W84AS907	6-ch DSP amp / 20cm sub	550 W total max
Mercedes Sprinter 907 / 910 with Alpine radio	SPC-W84AS907-R	6-ch DSP amp / 20cm sub	550 W total max

Upgrade to Concert Ensemble

If you have already installed an Alpine Adventure Audio speaker system in your Sprinter 907 / 910, you can further upgrade your sound experience to the Concert Ensemble with the SPC-W84AS907 for even more dynamics, power and bass, as well as a better staging with digital time correction. Enjoy your favorite tunes with the unparalleled Adventure Audio listening experience.



Alpine F*1 Status

Experience music so realistic you are immersed in every note



The First Full-Spec Hi-Res Vehicle Sound System

By maintaining the details produced in a recording studio, the AlpineF#1Status system delivers music just as the artist intended - resulting in the excitement of a live music performance. The 3rd generation AlpineF#1Status is the world's first car audio system, capable of reproducing music at 384kHz / 32bit, resulting in a 17x higher sampling rate compared to CD audio playback. This system is truly the pinnacle of audiophile car-audio technology.

Perfect Synchronisation

Alpine developed a Master Clock Management System, which uses a centralised, highly accurate "master clock" that completely synchronises the audio signal between the Head Unit and the audio processor, virtually eliminating all jitter (signal misalignments) during the transmission. AlpineF#1Status is proud to be the first complete car audio system that utilises this architecture.

Alpine F[#]1 Status



This Alpine edition of the famous DAP by Astell&Kern features 384kHz / 32bit playback and includes an Octa-Core CPU plus an AK4497EQ Dual DAC for highest sound quality possible.

....



HDS-7909 Head Unit / USB Controller

A modern homage to vintage Alpine Head Unit design: the HDS-7909 Head Unit features a full color display, 2 USB ports and is compatible with WMA, OGG, AAC, MP3, FLAC and WAV files up to 384kHz / 32bit.

HDP-900

Digital Audio Processor

The processor is the core of the system, processing audio files at 384kHz / 32bit without downsampling. It ultra-high audio specs, such as 34-band P-EQ per channel, 8-channel digital time correction and a state-of-the-art master clock system.

IIIIALPINE



HDA-F900 Digital Amplifier (set of 2 pieces)

The 4-channel, Class-D amplifier features UltraBlu technology for highest possible sound quality and uses 8 Volts balanced XLR inputs. Power output 4 x 100 Watts RMS @ 4Ω . Frequency response: 4Hz - 100kHz @-3dB

HDZ-9000

4-Way Speaker System

Consisting of 18cm door woofers (1 pair), 8,5cm mid-range speakers (1 pair), 7cm ring radiator tweeters (1 pair) and a 30cm Subwoofer (1 unit), this 4-way speaker system has been developed for perfect tonal harmony and best possible sound quality.

Note: The AlpineF#1Status system is only sold as a full system - no single component sales.

Alpine Status



Hi-Res Audio Made Accessible

The Alpine Status system features many technologies, components and materials of the AlpineF#1Status system to achieve ultra high-precision music reproduction - at an affordable price tag. High-Res Audio playback of 192kHz / 24bit allows Alpine Status to create a heightened listening experience in the vehicle that emulates the feeling of an intimate recording studio session.





Hi-Res Audio Playback

The Alpine Status system is designed to process and playback Hi-Res Audio files at 192kHz / 32bitwhich is the current industry standard for purchasing and streaming Hi-Res music. You can connect audio sources via 3x USB ports or stream music wireless to your HDS-990 Head Unit.

System Flexibility

This Head Unit features high-performance RCA outputs, an optical TOSLINK port as well as 4x 50Watts hi-resolution amplified speaker output options for wide system building flexibility.

HDS-990 HI-RES AUDIO HEAD UNIT

The HDS-990 is the best way to bring Hi-Res Audio sources into your Alpine Status system and control all settings. It uses a compact system controller panel with hide-away black-box for great installation flexibility. The hi-res color display shows all playback data including album cover artwork. It also includes a 6-Ch 31-band EQ, X-Over and Digital Time Correction.

Input	4ch Hi-Level, AUX, Bluetooth Audio, USB Strage 3 Inputs (Front x1, Rear x2), USB Audio
Output	25W RMS x 4ch Amplifier, Optical/ Coaxial, 6ch RCA
DSP	6ch 31 Band EQ, X-Over, Time Delay
Decoding	MP3, WMA, AAC, MP4, WAV, FLAC, APE, DSD
System Sampling Rate	192kHz/32Bit
Frequency Response	20Hz-40kHz (Hi-Res)
Size (mm)	W178xD143.6xH50 (Main Unit)
System Connectivity	Opt/Coax to DSP Amplifier or 6ch RCA to Amplifier (with 4ch Hi- Level Input), 4ch Built-in Amplifier and Subwoofer Amplifier (with 4ch Hi-Level Input)



Audiophile Sound Quality

The HDP-D90 features an ultra-wide Hi-Res Audio bandwidth of 10Hz to 110kHz. Very low phase shift and distortion ensure high quality static performance and great imaging. The copper plated chassis and other features bring the signal to noise ratio to >110dB. The heart of the system is the high-class XO internal clock generator - the same component used in the AlpineF#1Status processor HDP-900.

External Alpine Status amplifiers will become available later in 2022.

HDP-D90 HI-RES AUDIO DSP AMPLIFIER

This DSP amplifier uses many components and technologies of the AlpineF#1Status processor for audiophile sound quality and is very flexible with tons of different input and output capabilities. It runs an internal sampling rate of 192kHz / 24bit and features a 14-Ch 31-band P-EQ, 3-Way X- Overs and 12-Ch digital time correction with 7mm steps adjustment.

Input	12ch Hi-level, 2ch RCA, Optical/ Coaxial, Bluetooth Audio
Output	50W RMS x8ch + 80W RMS x4ch Amplifier, 10ch RCA
DSP	14ch 31 Band P-EQ/G-EQ, 0~20ms Time Delay, 20Hz~40kHz X-Over (-6dB~-48dB/oct slop)
System Sampling Rate	192kHz/32Bit
Frequency Response	20Hz-40kHz (Hi-Res)
Size (mm)	W278xD256xH58 (Main Unit)
System Connectivity	External Bluetooth Unit, Head Unit Commander Operation, Optional Controller

Alpine Status



SPEAKERS ALPINE STATUS HI-RES SPEAKERS

Drawing from AlpineF#1Status trickle-down technology and materials, these Hi-Res Audio certified speakers deliver highest audiophile sound quality up to 40kHz in your vehicle. They are available in different configurations to match your needs.

AlpineF#1Status Heritage

These speakers get very close to the AlpineF#1Status speakers look and feel, using a very similar constructing and motor assembly, as well as the identical build-materials for highest sound quality.

Clear Sound & Low Distortion

Many key features and technologies, such as the double-gathered surround, are AlpineF#1Status trickledown features and ensure very clear sound output with lowest distortion.



Unified Timbre Identity

The woofer, mid range and tweeter use Carbon composite cones to achieve a fully unified timber identity - resulting in excellent harmonics.

Slim-Fit Tweeters

The tweeters of the HDZ-653S and HDZ-65CS include a smaller tweeter version (Slim-Fit), that is easier to integrate in original tweeter installation locations.



7cm Alpine Status Tweeter

4,4cm Alpine Status Slim-Fit Tweeter

		Peak Power	RMS Power	Nominal	Frequency	Dimensions (mm)		A		
		Handling	Handling	Impedance	Response				D	
HDZ-653	17cm/10cm/7cm COMPONENT 3-WAYSPEAKER	300W	100W	4Ω	55Hz-40kHz	160 / 87	9 / 10	67 / 39	172 / 79	
HDZ-65C	17cm/7cm COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	55Hz-40kHz	160	9	67	172	
HDZ-65	17cm COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	55Hz-40kHz	160	19	67	172	Network 3-Way: 183 x 128 Network 2-Way: 135 x 100
HDZ-653S	17cm/10cm/ 4,4cm SLIM-FIT 3-WAY SPEAKER	300W	100W	4Ω	55Hz-40kHz	160 / 87	9 / 10	67 / 39	172 / 79	Tweeter: 53 x 70 Tweeter Slim-Fit: 22 x 44
HDZ-65CS	17cm/4,4cm SLIM-FIT 2-WAYSPEAKER	300W	100W	4Ω	55Hz-40kHz	160	9	67	172	All dimensions in mm



HDZ-110 ALPINE STATUS 11" SUBWOOFER

The HDZ-110 subwoofer was co-developed with all other Alpine Status system components to perfectly match the overall timber identity. It features a 400W RMS / 800W peak power handling and includes a hybrid carbon cone, as well as a doubled-gathered surround for maximum cone excursion with highest control and stability. The frame is crafted of die-cast aluminum and includes screw-type terminals for the dual 4Ω coils. A very large and powerful Neodymium magnet ensures a maximum motor-force for powerful bass output.

	Peak Power	RMS Power Nomin		Frequency	Dimensions (mm)		
	Handling	Handling	Impedance	Response	А	В	
HDZ-110 11" (28cm) SUBV	WOOFER 800W	400W	2Ω+2Ω	25Hz - 300Hz	251	169	
Recommended Enclosure	Sealed Enclosure			Vented Enclosure			
Recommended Enclosure	Recommended	Recommend	ed Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)		
HDZ-110	TBA	TBA		TBA		TBA	





Powerful Bass and High Clarity

R-Series speakers and amps are engineered to deliver prodigious power while maintaining extreme sound clarity for totally exciting sound. They provide high power output and handling, wide frequency response and a powerful bass. The R-Series line includes component and coaxial speakers, subwoofers and for the first time, amplifiers.



New 3-Way PRO Component Speakers

The PRO versions feature rigid die-cast aluminium baskets for higher stiffness and build-quality and are available in a 3-way (16,5cm woofer, 10cm mid-range and 4,4cm tweeter) and 2-way configuration. The standard R-Series speakers feature composite baskets and are available in 2-way component and coaxial variations. This gives you many choices based on your needs and your budget.

Professional Speaker Network

The all new speaker networks are much larger compared to the 2nd generation R-Series, to include more and better components and many tuning options. This gives installers many possibilities to adjust the sound perfectly for your vehicle.



Meet the 3rd generation of Hi-Res Audio Ready R-Series speakers: choose between a range of PRO and standard versions.

R-Series Technology

The 3rd generation of R-Series speakers feature a more powerful motor structure (larger magnet size and 35mm voice coil) for increased SPL and bass output and less distortion. The new glass-fibre reinforced cone delivers warm, natural sound, while the HAMR surround ensures maximum cone excursion and control.



Hi-Res Audio Tweeters

The all-new magnesium hard dome tweeters deliver clear, detailed music reproduction and are designed for true Hi-Res Audio playback even beyond 40kHz.



		Peak Power	RMS Power	Nominal	Frequency	Dimensions (mm)				
		Handling	Handling	Impedance	Response					
R2-S653	16,5cm/10cm/4,4cm COMPONENT 3-WAY PRO SPEAKER	300W	100W	4Ω	65Hz-40kHz	165 / 96	12/9	63 / 36	135 / 73	
R2-S652	16,5cm/4,4cm COMPONENT 2-WAY PRO SPEAKER	300W	100W	4Ω	65Hz-40kHz	165	12	63	135	Network 3-Way PR0: 142 x 99
R2-S65C	16,5cm/4,4cm COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	65Hz-40kHz	165	12	63	135	Network 2-Way PRO: 116 x 75 Network others: 71 x 38
R2-S65	16,5cm COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	65Hz-40kHz	165	18	63	135	15 Ø39
R2-S69C	16x24cm (6x9") COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	60Hz-40kHz	236 x165	11	76	219 x149	j j
R2-S69	16x24cm (6x9") COAXIAL 2-WAY SPEAKER	270W	90W	4Ω	60Hz-40kHz	236 x165	14	76	219 x149	All dimensions in mm



With their high power output, the all new Alpine R-Series amplifiers are a perfect match for the R-Series speakers and subwoofers

High Performance and Sound Quality

R-Series amplifiers are built on the X-Series Alpineproprietary circuit design, that achieves class-leading power density and reliability while performing at the top of its class. By simplifying the circuit topology, Alpine is able to ensure the cleanest possible signal path. This clever



/ (R-A75M), 0.2V-4V ariable HP filter and s Variable LP Filter & leady (R-A75M only) tuge power terminal

design results in a frequency response that meets the Hi-Res audio standard of 40kHz. They maintain a very low phase shift throughout the music spectrum, which allows your music to stay faithful to the original recording. The amps also include many Alpine custom internal components to achieve excellent sound quality.


	R-A75M	R-A60F	
Output Channels	Mono	4-Channels	
Max Power Output	1500W	1200W	Common Features: Input Gain adjustment 0.1V-4V (R-A60F) • Bass EQ (R-A75M only) • Selectable Va
RMS Power Output [@14.4V 1%THD]	1 x 750W (2Ω) 1 x 500W (4Ω)	4 x 150W (2Ω) 4 x 100W (4Ω)	Bandpass filter (R-A60F only) • Mono amp provides Selectable Subsonic Filters • Remote Bass Knob Re
Amplification Circuit	Class-D	Class-D	Thermal and Low Voltage Protection • Heavy gau RCA low and high power speaker inputs

The new 2022 R-Series subwoofers provide lots of deep, clean, accurate bass and feature many innovations.

The Next Evolution of Proven Performance

The new 2022 R-Series subwoofers are here - drawing from decades of Subwoofer engineering experience. They deliver deep, clean, accurate bass and feature Alpine's HAMR Surround for maximum cone excursion, delivering tons of bass output. the new ceramic dust cap is very light weight and rigid, keeping distortion an absolute minimum. The new, enlarged motor structure ensures better overall woofer control for a clean, strong bass response.

		Peak Power	RMS Power	Nominal	Frequency	Dimensio	ensions (mm)	
		Handling	Handling	Impedance	Response		В	
R2-W12D2	12" (30cm) SUBWOOFER	2250W	750W	2Ω+2Ω	24Hz - 200Hz	275	163	
R2-W12D4	12" (30cm) SUBWOOFER	2250W	750W	4Ω+4Ω	24Hz - 200Hz	275	163	
R2-W10D2	10" (25cm) SUBWOOFER	2250W	750W	2Ω+2Ω	26Hz - 200Hz	231	150	
R2-W10D4	10" (25cm) SUBWOOFER	2250W	750W	4Ω+4Ω	26Hz - 200Hz	231	150	
R2-W8D2	8" (20cm) SUBWOOFER	1000W	350W	2Ω+2Ω	30Hz - 200Hz	176	116	
R2-W8D4	8" (20cm) SUBWOOFER	1000W	350W	4Ω+4Ω	30Hz - 200Hz	176	116	



Recommended Enclosure	Sealed Enclosure	Vented Enclosure					
Recommended Enclosure	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)			
R2-W12D2 / D4	171 - 281	281 - 431	TBA	32,5 x 4			
R2-W10D2 / D4	111 - 251	211 - 371	TBA	25,5 x 4			
R2-W8D2 /D4	51 - 131	71 - 201	TBA	20,3 x 2,5			



PROPERTY.



Amazing Speakers to Fit Your Car and Your Budget

The all-new Alpine S-Series speakers deliver amazing sound quality and go easy on your wallet. They feature the Alpine HAMR surround for high linearity and accuracy, as well as a new patented CFRP cone for excellent clarity and responsiveness.

		Peak Power	RMS Power	Nominal	Frequency	Dimensions (mm)		Dimensions (mm)						
		Handling	Handling	Impedance	Response									
S-S65C	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKERS	240W	80W	4Ω	70Hz-22kHz	153	12	58	128	A		В		
S-S65	6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKERS	240W	80W	4Ω	70Hz-22kHz	153	20	58	128					
S-S50	5-1/4" (13.5cm) COAXIAL 2-WAY SPEAKERS	170W	55W	4Ω	80Hz-22kHz	129	16	50	114	D		_!		
S-S40	4" (10cm) COAXIAL 2-WAY SPEAKERS	140W	45W	4Ω	97Hz-22kHz	102	14	43	93	Ø58	28	 7		
S-S69C	6x9" (16x24cm) COMPONENT 2-WAY SPEAKER	260W	85W	4Ω	65Hz-22kHz	167 x 60	8	75	222 x 150	(\mathcal{Q})		51		
S-S69	6x9" (16x24cm) COAXIAL 2-WAY SPEAKER	260W	85W	4Ω	65Hz-22kHz	167 x 60	8	75	222 x 150					
S-S10TW	1" (2.5cm) SOFT DOME TWEETER	240W	80W	4Ω	1kHZ - 22kHz	-	-	-	-	All dimensions in	mm			



Optional Grilles

The S-Series speakers come without grilles. Optional grilles are available as shown here.

-Series Speaker Grilles	
-------------------------	--

 KTE-S65G
 For use with S-S65C and S-S65

 KTE-S50G
 For use with S-S50

 KTE-S69G
 For use with S-S69C and S-S69



All-new S-Series Amplifiers

Alpine introduces the all-new S-Series amplifiers, that are a perfect match to the S-Series speakers. These amps have an excellent Watts-per-Euro ratio in the Class-D category and feature a very high heat resistance and won't shut down due to overheating.

	S-A60M	S-A32F	S-A55V
Output Channels	Mono	4-Channels	5-Channels
Max Power Output	1100W	640W	1100W
RMS Power Output [@14.4V 1%THD]	1 x 600W (2Ω) 1 x 330W (4Ω)	4 x 80W (2Ω) 4 x 55W (4Ω)	4 x 60W + 1 x 300W (2Ω) 4 x 40W + 1 x 200W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D

Common Features: Input Gain adjustment 0,2V-4V

Bass EQ
Selectable Variable HP filter (4 and 5 channel models only)

Mono amp provides Variable LP Filter

Remote Bass Knob Ready (mono and 5ch only)

Termal and Low Voltage Protection

Heavy gauge power terminal

RCA low and high power speaker inputs



Excellent Sound with High Power Handling

The Type-G Series of component and coaxial speakers are designed to sound great on head unit power. They have high performance soft dome tweeters and crossover networks, and are extremely easy to install.

		Peak Power	RMS Power	Nominal	Frequency		Dimensi	ons (mm)		
		Handling	Handling	Impedance						
SPG-17CS COMPONEN	IT 2-WAY SPEAKER	280W	70W	4Ω	68Hz-20kHz	155,6	7,6	60,2	140,3	
SPG-13CS COMPONEN	IT 2-WAY SPEAKER	250W	65W	4Ω	65Hz-20kHz	139,3	8,2	42,2	109,9	
SPG-17C2 COAXIAL 2	WAY SPEAKER	240W	60W	4Ω	68Hz-20kHz	155,6	9,9	60,2	140,3	19,6
SPG-13C2 COAXIAL 2	WAY SPEAKER	200W	50W	4Ω	82Hz-20kHz	139,3	16,5	42,2	109,9	
SPG-69C3 COAXIAL 3	WAY SPEAKER	350W	90W	4Ω	65Hz-19kHz	167 x 119	12,2	75,6	149,9	
SPG-69C2 COAXIAL 2	WAY SPEAKER	300W	75W	4Ω	65Hz-18kHz	167 x 119	12,2	75,6	149,9	
SPG-10C2 COAXIAL 2	WAY SPEAKER	180W	45W	4Ω	101Hz-20kHz	117,1	13,5	42,5	90,4	All dimension
										1

High Power Handling

The new Type-G Series of component and coaxial speakers are designed and built to handle high power levels.

Ease of Installation

Snap Fit tweeter, swivel mount, and flush install bracket make installation easy. The crossover network is small and can be separated into two parts to further reduce size and allow use of factory wiring.

Good Sound Quality

They deliver good sound quality, due to a soft dome tweeter, square voice coil wire with Kapton VC bobbin and an audio tuned capacitor.



	Peak Power	RMS Power	Nominal	Frequency	Dimensi		
	Handling	Handling	Impedance	Response	A	В	Habm.
SWG-1244 12" (30cm) SUBWOOFER	800W	250W	4Ω	28Hz-1kHz	278	169	A A
SWG-1044 10" (25cm) SUBW00FER	500W	150W	4Ω	33Hz-1kHz	235	141	D.
SWG-844 8" (20cm) SUBWOOFER	400W	120W	4Ω	34Hz-1,5kHz	183	111	[#]



High Power, Great Value

This amp delivers high output power and exceptional performance for its class. A great way to expand your sound system on a limited budget.



Input Gain Bass EQ, LP. Thermal

		BBX-F1200	BBX -T600	
Output Channels		4 Channels	2 Channels	tors x
	14.4V, 4Ω	4 x 50W (4Ω)	2 x 50W (4Ω)	
Power (@14.4V 1%THD)	14.4V, 2Ω	4 x 70W (2Ω)	2 x 70W (2Ω)	
(011111)	BTL	2x130W (bridged)	1 x 130W (bridged)	
Max Power Outpu	t	600W	300W	
	Filter	Variable, OFF/LP/HP Selectable	Variable, OFF/LP/HP Selectable	
Function	LP	50Hz - 500Hz -12dB/oct	50Hz – 250Hz -12dB/oct	Common Features: Input G
	HP	50Hz - 500Hz -12dB/oct	80Hz - 1.2kHz -12dB/oct	 adjustment 0,2V–8V, Bass E Variable Filters HP&LP, Thern
	Bass EQ	0dB to +12dB Variable (3/4ch only)	OdB to +12dB Variable	Protection



Affordable Upgrading to Higher Performance.



The Type-E Custom Fit speakers allow easy, do-it-yourself installation in a wide range of cars. Offering impressive full-range performance, they can be powered from the head unit, so are a high-value choice for upgrading from factory speakers.

	Peak Power	RMS Power	Nominal	Frequency	Dimensions (mm)		ım)
	Handling	Handling	Impedance	Response	A	В	С
SXE-2035S COAXIAL 3-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	198,0	74	181,6
SXE-6925S COAXIAL 2-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	117,5 x 166,5	79,5	150 x 219
SXE-5725S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	102,7 x 125,5	62	126 x 183
SXE-4625S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	90Hz-20kHz	72 x 129	37	85 x 142
SXE-1725S COAXIAL 2-WAY SPEAKER	220W	40W	4Ω	60Hz-20kHz	165	46	139
SXE-1325S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	129	48,5	114
SXE-1025S COAXIAL 2-WAY SPEAKER	180W	25W	4Ω	100Hz-20kHz	100	43	92
SXE-0825S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	120Hz-16kHz	87	35.5	72



		RMS Power	Nominal Frequency	Frequency)imensions (mm)	A
	Handling	Handling	Impedance	Response	A (Tweeter)	B (Tweeter)		
SXE-1750S COMPONENT 2-WAY SPEAKER	280W	45W	4Ω	60Hz-20kHz	165 (30)	46 (17,5)	139	
SXE-1350S COMPONENT 2-WAY SPEAKER	250W	40W	4Ω	60Hz-20kHz	129 (30)	48,5 (17,5)	114	C (E
SXE-1006TW COMPONENT TWEETER	280W	45W	4Ω	4kHz - 20kHz	(30)	(17,5)	30	(





The Type-E subwoofers give you the bass boost you're looking for at prices that won't break your budget.

nmended

77 L

52 L

Vented Enclosure

Round Port Dia. x L (cm)

12 x 28

10 x 22





SBE-1244BR/-1044BR READY TO USE BASS REFLEX SUBWOOFER BOX



8" (20cm) POWERED SUBWOOFER BOX

	Peak Power Handling	RMS Power Handling	Nominal Impedance
$\label{eq:sbelance} \textbf{SBE-1244BR} \hspace{0.1cm} \textbf{12"} \hspace{0.1cm} (30 \text{cm}) \hspace{0.1cm} \text{READY TO USE BASS REFLEX SUBWOOFER BOX} \hspace{0.1cm} \textbf{(4} \Omega)$	650W	200W	4Ω
$\label{eq:sbelance} \textbf{SBE-1044BR} 10" \ (30 \text{cm}) \ \text{READY TO USE BASS REFLEX SUBWOOFER BOX} \ (4\Omega)$	500W	150W	4Ω
SWE-815 8" (20cm) POWERED SUBWOOFER BOX	150W	75W	2x2Ω

	Peak Power	RMS Power	Nominal	Frequency	Dimensi	ions (mm)	
	Handling	Handling	Impedance	Response	A	В	
SWE-1244E 12" (30cm) SUBWOOFER	650W	200W	4Ω	30Hz-500Hz	280	131	
SWE-1044E 10" (25cm) SUBWOOFER	500W	150W	4Ω	33Hz-800Hz	232	116] ""

35 x 3,2 x 28

30 x 2,6 x 22

Enclosure

SWE-1244E

SWE-1044E

62 L

37 L

10 BAND Parametric

EQ

PWD-X5

CROSSOVER

All-In-One Sound Upgrade for Any Vehicle

Achieving a perfectly integrated, high-performance car audio installation with only one device is now possible with the new Alpine PWD-X5. This very unique sound system upgrade product includes a high-performance Digital Sound Processor (DSP), 4-channel amplifier for your front and rear door speakers, as well as an ultra-flat active subwoofer. The small footprint allows the PWD-X5 to be easily installed inside the car's cabin to enjoy a nice bass upgrade.

350mm

Compact installation

The very compact measurement of only 350mm length x 245mm width x 80mm height allows the PWD-X5 to be installed under the front seats of many vehicles.



245mm ---->

Extensive sound tuning functions

80mm

Use the built-in 10-band Parametric EQ, digital time correction and digital crossover to tune the sound of your vehicle. You can do the main setup by connecting a PC using the free Alpine software or via the included wired controller.

Wide connectivity options

You can connect the PWD-X5 to an Aftermarket radio using RCA inputs. If you have an original radio in your car that has no RCA connections, you can connect it to the DSP amplifier using the high-power inputs.

😵 Bluetooth

Bluetooth[®] Audio Streaming

With the included Bluetooth[®] dongle that can be plugged in to one of the USB ports on the DSP amp, you can stream music from your smartphone to the PWD-X5.

Get the Smartphone App

You can download the Alpine companion app for the PWD-X5 from Google Play and the Apple App Store free of charge.

vailable on the

App Store

Google Play



Compact Ad-on Amplified Subwoofers

4.1 CHANNEL DSP WITH POWERED SUBWOOFER

Peak Power Output: 4 x 50W + 240 Watts (mono)

Frequency Response: 20Hz – 20kHz
 Speaker level inputs with remote ON detection

4-channel RCA inputs
2 USB ports

Bluetooth[®] Audio streaming

Nominal Power Output: 4 x 25W + 165 Watts (mono)
 Wired Remote Control

These amplified add-on subwoofers are very compact and can be installed under the driver seat or other locations inside the vehicle's cabin. This is an easy and space saving way to add a good bass performance to your OEM or aftermarket audio system. Both subwoofers feature high-level inputs, to make it very easy to add them to an OEM speaker system.

· Free-of-charge Smartphone app and PC software

• 10-band Parametric EQ

• 15 audio pre-sets selectable

Digital Crossover

Wiring kit included





Peak Power Handling: 150W
RMS Power Handling: 80W



PWE-S8

8" (20cm) POWERED SUBWOOFER BOX

Peak Power Handling: 240WRMS Power Handling: 120W

240 BAND Professional Sound Upgrade for Original Audio Systems



802DSP)				
DIGITAL DSP AMI	PLIFIER Class			Optical	JSPEAKER INPUTL
2Ω (<1% THD+N) (pre-amp or speaker time correction and etric EQ (1/3 Octave) (12 to 96kHz / 16	Wireless smartphone cor Remote-in & Auto Sensi 1 PreOut (CH8 signal), 2 1 remote out (12V, 100 20Hz to 22kHz frequenc: range Burr-Brown ADC (SNR > @96kHz) Start-stop engine non-st	ng V RMS nA) y response 105dB, 24bit	 2 x USB client Remote contro knob RUX-KNOB2 re 	port for op	tional bass
PROT Ø OPT IN STAT LINK Ø	PC	RC WIFI	<u>o</u>	0	
			0		
POWER SUPPLY	SPEAKER OUPUT	r	INPUT		
				C.	3



Key Features:

Professional sound tuning for any vehicle

Full flexibility with 6 input channels for high- and low power signals, as well as 8 output channels for extensive system building.

Audiophile tuning features

Get 30 bands of Parametric EQ per channel, as well as 8 channel digital time correction and crossover for expert sound tuning.

Wireless System Control

Control key functions via smartphone app and wireless connection for real-time adjustment.

Compact size

The small footprint and size of the DSP amp makes it easy to install anywhere in the vehicle.

Measurements: 205mm x 150mm x 50mm.

Pure Class-D technology

Once an analog input signal is converted to digital, it remains fully digital throughout the entire processor and amplification stage.

Start-Stop engine unaffected

The DSP amp will remain in full operation if your car is running on startstop mode.

Setup and sound tuning by PC

Download the Alpine configuration software and connect your PC via USB to the DSP amp. You can control the full channel setup for inputs and outputs in the graphical user interface and adjust all sound settings from Parametric EQ, digital time correction to crossover settings. Compatible with Windows XP, 7, 8 and 10.

Get the Alpine Remote App

Download the Alpine Remote App to your Apple or Android smartphone and connect it to the DSP amplifier via WiFi connection. This app allows you to adjust volume, subwoofer level, source selection and load presets in real-time. The Alpine remote app is available free of charge in the Apple App Store and Google Play store.







8-CHANNEL

• 8 x 100W RMS @

• 8 x 120W BMS @

6 x analog inputs

8-channel digital

 1 x optical input or 24bit)

level)

crossover • 240-band param



Subwoofer Boxes for Deep, Resonant Bass

TEST WINNER CAR HIFI 6/2011



SBG-1224BP/-1244BP READY TO USE BAND PASS SUBWOOFER BOX

Alpine SBG-1244BR SBG-1224BR/-1244BR

The SBG ready-to-use box line is the best-selling subwoofer in Europe. It has been praised for its bass-oriented design. It is characterised by its performance, stylish appearance and affordable price point.

		In the second second
7		Sec. Sec.
0		5-5-94-9-5-5
	ered on the	

SBG-1044BR SBG-844BR READY TO USE BASS REFLEX SUBWOOFER BOX

	Peak Power Handling	RMS Power Handling	Nominal Impedance
SBG-1224BP 12" (30cm) READY TO USE BAND PASS SUBWOOFER BOX	800W	250W	2Ω
SBG-1244BP 12" (30cm) READY TO USE BAND PASS SUBWOOFER BOX	800W	250W	4Ω
SBG-1224BR 12" (30cm) READY TO USE BASS REFLEX SUBWOOFER BOX	800W	250W	2Ω
SBG-1244BR 12" (30cm) READY TO USE BASS REFLEX SUBWOOFER BOX	800W	250W	4Ω
SBG-1044BR 10" (25cm) READY TO USE BASS REFLEX SUBWOOFER BOX	500W	150W	4Ω
SBG-844BR 3" (20cm) READY TO USE BASS REFLEX SUBWOOFER BOX	400W	120W	4Ω

Blue illumination Window

Acrylic windows provide an inside view and the blue illumination adds a cool effect. Its fully enclosed structure ensures that nothing sliding around in the trunk damages the woofer.



SWD-355 12" (30cm) AMPLIFIED SUBWOOFER BOX



HIGH PERFORMANCE SUBWOOFER PACKAGE




SWT-12S4 12" (30cm) BASS REFLEX SUBWOOFER TUBE

	Peak Power Handling	RMS Power Handling	Nominal Impedance
SBG-30KIT HIGH PERFORMANCE SUBWOOFER PACKAGE	550W	250W	2Ω
SWD-355 12" (30cm) AMPLIFIED SUBWOOFER BOX	550W	150W	4Ω
SWT-12S4 12" (30cm) BASS REFLEX SUBWOOFER TUBE	1000W	300W	4Ω





AlpineEurope



Stay up to date with the latest Alpine news and product information via Facebook, Instagram and YouTube.



AlpsAlpine Europe GmbH Ohmstraße 4 85716 Unterschleißheim, Germany Tel:+49/(0)89-324264-0